



METAL-GRIP ROLLER BRUSH ORDER AND QUOTATION REQUEST FORM



METAL-GRIP ROLLER BRUSH ORDER AND QUOTATION REQUEST FORM


Metal-grip roller brushes provide heavy duty service for many types of washing, waxing, cleaning and scrubbing operations. Cores are usually made of steel or stainless steel with steel keyed or taper-lock hubs. Metal-grip strip brush is spirally wound around the core. Filaments can be natural or synthetic.

Roller Brush Use and Installation

What is the intended use for the roller brush? Agriculture Washing Agriculture Polishing
 Conveyor Debris Removal Conveyor Flow Control Manufacturing Process Product Retention
 Other _____

Installation environment: Dry Wet Caustic/corrosive chemicals Solvent
 Inside Outside Direct Sunlight
 Operating Temp. _____ Other _____

Rotating RPM _____ Brush Action Aggressive Medium Light



Roller Brush Specifications

K. Overall Length _____ H. Overall Diameter _____ Coil Only (no core)
 J. Brush Length _____ Centered on core Other _____
 N. Coil Spacing _____ Right-hand wrap Left-hand Wrap Mixed Not Sure
 Cant Strip Angle _____

Filament Material Specifications

H. Filament Type Nylon Polypropylene Polyethylene Polyester
 Tampico Not Sure Other _____
 Filament Diameter _____ Filament Style Level Crimped Not Sure
 Filament Color White Black No Preference Other _____

Strip Material Specifications

Strip Material Steel Stainless Steel Not Sure
 Strip Size 7/8" 1/2" Not Sure

Core Specifications

I. Core Material Steel Shaft Stainless Steel Shaft Steel Tube Stainless Steel Tube
 K. Length _____ C. Diameter _____ Extensions/turndowns _____
 Hub Style: Keyed Diameter _____ Standard Key Other _____
 Square Drive Taper-lock None Other _____



American Brush Company

METAL-GRIP ROLLER BRUSH ORDER AND QUOTATION REQUEST FORM

Order and Quantity Information

Quantity _____ Pricing Levels Qty A _____ Qty B _____ Qty C _____ Qty D _____

Shipping Instructions _____

Requested Delivery Date _____

Manufacture Authorization PO# _____ Request Quotation

Other Notes _____

Company Information

Company Name _____

Contact _____

Phone Number _____ Fax Number _____

Address _____

Quotation Reply/Order Confirmation

Brush Name _____

Quantity _____ Pricing Levels Qty A _____ Qty B _____ Qty C _____ Qty D _____

Price _____ Price _____ Price _____ Price _____

Estimated Delivery Date _____ After Order Receipt

Freight FOB American Brush Company Prepaid

Other Notes _____

Confirmation

Manufacture Approved PO Attached

Name _____

Signature _____

Title _____

Date _____

Fax this form to (503) 234-1270 or mail to American Brush Company, 116 NE 6th Avenue, Portland, Oregon 97232.

METAL-GRIP ROLLER BRUSH ORDER AND QUOTATION REQUEST FORM

Hub and Accessory Options



Keyed Hubs




Taper-lock Hubs




**Small Aluminum
Square Drive**



**Large Aluminum
Square Drive**



Square Drive Insert



Square Drive Idler

American Brush Company

116 NE 6th Avenue
Portland, Oregon 97232
(503) 234-5064 Fax (503) 234-1270
Email: info@americanbrush.com
www.americanbrush.com